

INTERFERENCE SEARCH 09/928,848

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9	703/15.cds.and ((mark\$3 index\$3 tag\$3) with (clock\$3 time step)). clm.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:55
L2	7	703/15.cds.and (partition\$3 with (clock\$3 time step)).clm.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:46
L3	19	703/13.cds.and ((mark\$3 index\$3 tag\$3) with (clock\$3 time step)). clm.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:50
L4	4	703/13.cds.and (partition\$3 with (clock\$3 time step)).clm.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:46
L5	9	703/13.cds.and ((marker tag) augment\$4 with time\$4).clm.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:51
L6	0	703/13.cds.and ((marker tag) with augment\$4 with time\$4).clm.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:51
L7	0	703/15.cds.and ((marker tag) with augment\$4 with time\$4).clm.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:51
L8	0	703/14.cds.and ((marker tag) with augment\$4 with time\$4).clm.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:52

L9	12	716/7.cds.and ((mark\$3 index\$3 tag\$3) with (clock\$3 time step)). clm.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:52
L10	16	716/18.cds.and ((mark\$3 index\$3 tag\$3) with (clock\$3 time step)). clm.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:54
L11	0	703/13-15.cds.and (symbolic with equation\$2 with input\$3 with output\$3).clm.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:56
L12	1	703/13-15.cds.and (symbolic with equation\$2).clm.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 12:07
L13	1	703/13-15.cds.and (symbolic with (equation\$2 notation form)).clm.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 12:04
L14	4	716/7,18.cds.and (symbolic with (equation\$2 notation form)).clm.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:58
L15	30	716/7,18.cds.and ((proof verification verify) with functional\$4).clm.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 12:03
L16	25	703/13-15.cds.and ((proof verification verify) with functional\$4).clm.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 12:02

L17	0	703/13-15.cds.and (compil\$6 with gate\$2 with (proof verification verify) with functional\$4).cim.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 12:02
L18	1	716/7,18.cds.and (compil\$6 with gate\$2 with (proof verification verify) with functional\$4).cim.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 12:05
L19	7	716/7,18.cds.and (compil\$6 with gate\$2).cim.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 12:03
L20	0	703/13-15.cds.and (symbolic with (marker tag Index)).cim.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 12:04
L21	1	716/7,18.cds.and (symbolic with (marker tag Index)).cim.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 12:08
L22	2	716/7,18.cds.and (behavioral with symbolic).cim.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 12:07
L23	0	703/13-15.cds.and (behavioral with symbolic).cim.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 12:07
L24	0	703/13-15.cds.and (behavioral with partition\$4 with mark\$2).cim.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 12:07

L25	0	703/13-15.cds.and (behavioral with partition\$4 with mark\$3).cim.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 12:07
L26	1	716/7,18.cds.and (behavioral with partition\$4 with mark\$3).cim.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 12:08

EAST SEARCH

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"6077303".pn.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 16:21
S2	2	"6757884".pn.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 10:49
S3	1221	behavioral and (RTL or HDL)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 11:48
S4	951	S3 and (simulat\$ or (design same tool))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 11:50
S5	170	S3 and (behavioral adj model\$)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 11:52
S6	44	S3 and (behavioral).ti.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 09:29
S7	3901	z with transform	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 09:30

S8	97	("5222030" "5426591" "5493508" "5526277" "5541849" "5544066" "5553002" "5557531" "5572436" "5598344" "5764525" "5812417" "5870308" "5880971" "5910897" "5940779" "6216252" "6216252" "6324678" "6470482" "5933356" "6083269" "5519627" "59337580" "5634115" "5841967" "5867395" "5892682" "5912819" "6026228" "6058492" "6148436" "6182268" "6237007" "6334207" "6397341" "6415420" "6557160" "6601024" "5544067" "5555201" "5623418" "5801958" "5867399" "5504690" "5701443" "6195593" "5572437" "5258919" "5299137").pn.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 09:45
S9	102	("5404319" "5428550" "5491640" "5557532" "5566079" "5572712" "5638291" "5706205" "5726902" "5841663" "5953236" "5960184" "5966534" "5974245" "6120549" "6233540" "6314553" "6360355" "6438739" "6477689" "6539537" "6581191" "6606734" "6618839" "6687894" "6718520" "6754879" "6823497" "6832363" "4995079" "6044211" "5764534" "5812431" "5899785" "5949992" "6298472" "6477698" "6813201" "4312878" "4931032" "4959922" "5207580" "5310027" "5450057" "5517658" "5725381" "5730086" "5803391" "6047311" "6152081").pn.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 09:46
S10	56	(S8 or S9) and partition\$	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 09:46
S11	14	symbolic same expression same transform	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:15
S12	563	rostopper.in.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:16

S13	220	Michael In. and S12	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 15:25
S14	0	partitioning adj2 logic adj2 synthesis	IBM_TDB	OR	OFF	2005/01/14 11:46
S15	6	partitioning same synthesis	IBM_TDB	OR	OFF	2005/01/18 12:28
S19	23	(partition and (marker or tag or boundary))ti.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 12:49
S22	2	"6697773".pn.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 14:50
S23	16	("5490266" "5513118" "5519627" "5623418" "5673198" "5848236" "5870608" "5920711" "5937190" "5991533" "6044211" "6173241" "6212650" "6269467" "6317860" "6421808").PN. OR ("6697773").URPN.	US-PGRUB; USPAT; USOCR	OR	OFF	2005/01/14 15:08
S24	47	partition\$ adj behavioral	US-PGRUB; USPAT; USOCR	OR	OFF	2005/01/14 15:09
S25	1083	Synopsys	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 10:48
S26	160	S25 and partition	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 15:16
S27	10	S25 and partition\$.ti.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 10:49

S30	4	"numeric C Code"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 12:43
S31	8	("5105373" "5404319" "5408638" "5410719").pn.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 12:44
S32	49	(partition\$3 and (marker\$3 or tag\$3)).ti.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 12:53
S33	23	(partition and (marker or tag or boundary)).ti.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 12:58
S34	26	S32 not S33	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 12:53
S35	2	"5764525".pn.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 12:59
S37	1083	Synopsys	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 13:39
S38	160	S37 and partition	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 13:39

S39	28	S38 and (behavioral same partition)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 13:44
S42	20	07/507,201	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 13:46
S43	2	"5222030".pn.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 18:21
S45	111	(S38 and behavior\$)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 15:22
S46	563	rostoker.in.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 15:26
S47	220	michael.in. and S46	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 15:26
S49	9	S47 and (partition\$3 same behaviorA\$3)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/21 09:49
S50	4	("6134705" "6745375").pn.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 18:31

S51	2	("6757884").pn.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 15:47
S52	48	verification same RTL same C	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 10:04
S54	13	verification same RTL same (C with model)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 10:05
S55	95	HDL and (verification same (C with model))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 10:07
S56	144	(symbolic with C) and (numeral\$ with C)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 10:06
S57	46	S56 and (verification or verify or debug\$)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 11:42
S58	2553	(functional\$ with (verification or verify)) and (HDL or RTL or hardware)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 11:43
S59	602	(functional\$ with (verification or verify)) and (HDL or RTL)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 13:15

S60	3	S59 and S56	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 11:44
S61	3	behavioral same symbolic adj equation\$	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 13:16
S62	76	behavioral same symbolic	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 13:16
S63	73	S62 not S61	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 13:16
S65	18	(US-20040167764-\$ or US-20040111692-\$).did. or US-5544067-\$ or US-6745160-\$ or US-5933356-\$ or US-6026219-\$ or US-6424962-\$ or US-5557531-\$ or US-5222030-\$ or US-5541849-\$ or US-5544066-\$ or US-5572437-\$ or US-5867399-\$ or US-5870308-\$ or US-6477698-\$ or US-5526277-\$ or US-6470482-\$).did. or (US-20040064794-\$).did. behavioral and symbolic	US-PGRUB; USPAT; DERWENT	OR	OFF	2005/01/19 13:18
S66	579		US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 13:19
S68	13	S66 and S65	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 13:18
S69	12	S62 and S65	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 13:19

S70	563	rostoker.in.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/21 09:49
S71	220	michael.in. and S70	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/21 09:49
S72	9	S71 and (partition\$3 same. behaviorA\$3)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/21 09:49
S73	9	S72 and (theorem adj prover)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/21 09:50
S74	54	hdl same count same time	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 11:45
S76	10	("20020083420" "20020161564" "4760330" "5974241" "6134516" "6339837" "6389379" "6487704" "6498999" "6513143").PN. OR ("6701494"). URPN.	US-PGRUB; USPAT; USOCR	OR	OFF	2005/01/21 15:57
S78	76	verification same C same HDL	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 09:57
S79	144	(symbolic with C) and (numeral\$ with C)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 10:07
S80	17	S79 and HDL	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 10:07

S81	353	GARBOWSKI.xa.	US-PGRUB; USPAT; USOCR	OR	OFF	2005/01/24 11:45
S82	55	S81 and HDL	US-PGRUB; USPAT; USOCR	OR	OFF	2005/01/24 12:04
S83	5	S82 and (marker or tag)	US-PGRUB; USPAT; USOCR	OR	OFF	2005/01/24 11:53
S84	2	S82 and index	US-PGRUB; USPAT; USOCR	OR	OFF	2005/01/24 11:55
S85	60	HDL same time same index\$3	US-PGRUB; USPAT; USOCR	OR	OFF	2005/01/24 11:56
S88	3	("6701494" "6691079" "6513143"). pn.	USPAT	OR	OFF	2005/05/27 15:22
S89	270	time with index with marker	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 15:56
S90	2	S89 and (RTL or HDL or (hardware adj2 descrip\$6 adj2 language))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 15:48
S91	36	S89 and (hardware)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 15:49
S92	73	S89 and (simulat\$4 emulat\$4 model\$4 virtual\$6)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 15:50
S93	10	("20020083420" "20020161564" "4760330" "5974241" "6134516" "6339837" "6389379" "6487704" "6498999" "6513143").PN.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 15:50

S94	102978	(time with (index marker tag))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 15:57
S95	770	S94 and (RTL or HDL or (hardware adj2 descrip\$6 adj2 language))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 15:57
S96	158	S95 and (partition\$4)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 16:42
S97	0	compiler with directive with time with tag	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 16:42
S98	1	(compiler with directive with tag)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 16:43
S99	78979	time with index\$4	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 16:49
S10 0	595	S99 and directive	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 16:44
S10 1	140	S96 and (simulat\$4 emulat\$4 model\$4 virtual\$6)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 16:44

S10 3	24543	S99 and (simulat\$4 emulat\$4 model\$4 virtual\$6)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 16:44
S10 4	121	times\$2 with Index\$4 with (break\$point partition)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 17:19
S10 5	417	times\$2 with Index\$4 with (marker)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 17:19
S10 6	5	S105 and (HDL RTL behavioral)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 17:21
S10 7	1	S105 and (netlist)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 17:21
S10 8	228	S105 and (circuit)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 17:21
S10 9	53	S105 and (circuit with (design\$6 simulat\$4 emulat\$4 model\$4))	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 17:22
S11 0	2	("6077303") URPN.	USPAT	OR	OFF	2005/05/27 17:29
S11 1	0	(behavioral HDL) same (partition with (time adj step))	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 15:42

S11 2	0	(behavioral HDL) same (partition\$ with (time adj step))	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 15:43
S11 3	89	(behavioral HDL) same ((time adj\$6 step))	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 15:45
S11 4	296	(behavioral HDL) same ((time with step))	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 15:45
S11 5	69	S114 and partition\$6	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 16:41
S11 6	624	((Finite adj Impulse adj Response) FIR) and symbolic	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 16:49
S11 7	276	S116 and (simulat\$4 model\$4)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/14 09:48
S12 0	0	FIR with (HDL verilog vhd) with symbolic	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 09:59
S12 4	2	"6077303".pn.	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 10:16

S12 5	582	behavior\$4 and (symbolic with (equation form notation))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 10:17
S12 6	34	behavior\$4 same (symbolic with (equation form notation))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 10:17
S12 7	3	behavioral same (symbolic with (equation form notation))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 10:17
S12 8	4	("5764525" "6077303" "6275981" "6477683").PN.	US-PGRUB; USPAT; USOCR;	OR	OFF	2005/06/14 10:54
S12 9	1137	716/6.ccls.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 11:33
S13 0	507	716/7.ccls.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 11:33
S13 1	129	S130 and behavior\$4	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 14:30
S13 2	507	716/7.ccls.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 14:31
S13 3	87	S132 and behavior\$4 and (partition break) and (tag index marker step)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 14:31

S13 4	80	S132 and behavior\$4 and (partition) and (tag index marker step)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 14:31
S13 5	18	S132 and behavior\$4 and (partition) and (tag index marker)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 15:25
S13 6	659	behavior with partition\$4	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 15:25
S13 7	7	"z-domain" and (behavior\$ adj (model\$4 simulat\$4))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 16:24
S13 8	16	milestone and behavioral and \$hdl	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 16:26
S13 9	13	"z-transform" and behavioral and model\$4	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 16:29
S14 0	3671	bipartite	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 16:29
S14 1	10	bipartite and behavioral with model\$4	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 10:40

S14 2	635	symbol\$4 and (embedd\$5 with clock)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 17:59
S14 3	26	symbol\$4 with (embedd\$5 with clock)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 10:41
S14 4	51	marker with clock with index	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 18:03
S14 5	9	marker with clock with simulat\$4	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 18:02
S14 6	2724	simulat\$4 with index\$4	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 18:03
S14 7	14	simulat\$4 with index\$4 with marker	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 18:04
S14 8	19	simulat\$4 with index\$4 with clock	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 18:04
S14 9	578	703/14.ccls.	USPAT	OR	OFF	2005/07/13 19:14
S15 0	170	703/19.ccls.	USPAT	OR	OFF	2005/07/13 19:10
S15 1	307	703/15.ccls.	USPAT	OR	OFF	2005/07/13 19:10
S15 2	67	S149 and ((clock time step) same (marker tag index))	USPAT	OR	ON	2005/07/13 19:23

S15 3	17	S150 and ((clock time step) same (marker tag index))	USPAT	OR	ON	2005/07/13 19:25
S15 4	43	S151 and ((clock time step) same (marker tag index))	USPAT	OR	ON	2005/07/13 19:29
S15 5	662	716/18.ccls.	USPAT	OR	OFF	2005/07/14 10:10
S15 6	57	S155 and ((clock time step) same (marker index tag))	USPAT	OR	OFF	2005/07/14 10:11